

Technical Data Sheet

MMA-Triazine 40%

Description



MMA-Triazine 40% is a clear to light amber liquid with an amine odor. Its principal use is to scavenge hydrogen sulfide from gas and oil. The product is available from our Hexion plant located at Diboll, TX.

Custom formulations based on this product can be blended to meet customer finished product requirements.

Our product is typically supplied in bulk truck. Hexion also offers a variety of packaging options depending on regional capabilities.

Specifications

Property	Value	Unit
Free Monoethanolamine	0.10 - 0.30	wt.%
Methanol	< 0.20	wt.%
MMA-Triazine Content	39.5 - 40.5	wt.%
pH	8.9 - 9.9	

Typical Properties

MMA-Triazine 40%
<https://www.hexion.com/en-US/product/mma-triazine-40>

Generated: April 1, 2023
 Issue Date:
 Revision: 1/1/1900 8:00:00 AM

© and ™ Licensed trademarks of Hexion Inc.

The information provided herein was believed by Hexion Inc. ("Hexion") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Hexion are subject to Hexion's terms and conditions of sale. **HEXION MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY HEXION**, except that the product shall conform to Hexion's specifications. Nothing contained herein constitutes an offer for the sale of any product.

Property	Value	Unit	Test Method
Pour Point	< -56 [-49]	°F [°C]	
Appearance @ 70°F [21°C]	Clear to Light Amber		
Flash Point	144 [62]	°F [°C]	Pensky Martin Closed Cup.
Grams Per Milliliter @ 68°F [20°C]	1.017 - 1.023		
Odor	Amine		
Pounds Per US Gallon @ 68°F [20°C]	8.49 - 8.54		
Specific gravity @ 77°F [25°C]	1.016 - 1.022		
Storage Temperature	40 - 100 [4 - 38]	°F [°C]	
Viscosity @ 77°F [25°C]	7 - 13		Brookfield, cP LVF #1/60 rpm

Contact Information

Hexion
Oilfield Technology Group
15366 Park Row
Houston, Texas 77084 USA
+1 281 646 2800
www.hexion.com/oilfield

Customer Service
+1 800 626 2116
otg.customerservice@hexion.com

Technical Inquiries
otg.customerservice@hexion.com

Technical Assistance

For additional information or assistance, please contact:

- US Sales Office: +1 281 646 2800
- Canada Sales Office: +1 403 705 0950
- Customer Service: +1 866 443 9466