

# Technical Data Sheet

## Hexamine Granular

### Specifications

Property	Value	Unit
Ash	0.1 Maximum	wt %
Granulation Through 16 Mesh	98.0 - 100.0	wt %
Granulation Through 60 Mesh	0.0 - 50.0	wt %
Granulation Through 100 Mesh	0.0 - 25.0	wt %
Purity	99.0 - 100.0	wt %
Water	0.3 Maximum	wt %

### Product Features

Hexamine is a white powder with a slight “fishy” odor. Hexamine is used in the production of thermoset resins. The product is shipped in bags or super sacks and is available from the Hexion plant in Acme, NC.

### Typical Properties

Property	Value	Unit
Appearance	White Powder	
Bulk Density Packed	~ 40.0 - 60.0	lb/ft <sup>3</sup>
Flash Point	~ 250 Closed Cup	°C
Molecular Weight	140.2	g/mol
Solubility in Water	~ 45	wt %
Storage Life	120 Maximum	Days
Storage Temperature	0 - 40	°C
Storage Humidity	< 60	RH %

### Handling Precautions

For more detailed information on all aspects relating to Health, Safety and Handling, reference should be made to the Safety Data Sheet for this product, which is available from your local Hexion representative or distributor.

### Technical Assistance

For additional information or assistance, please contact:

Customer Service: +1 866 443 9466

Hexamine Granular  
<https://www.hexion.com/en-US/product/hexamine-granular>

Generated: October 27, 2021  
 Issue Date:  
 Revision:

© and ™ Licensed trademarks of Hexion Inc.

The information provided herein was believed by Hexion Inc. (“Hexion”) to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Hexion are subject to Hexion’s terms and conditions of sale. **HEXION MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY HEXION**, except that the product shall conform to Hexion’s specifications. Nothing contained herein constitutes an offer for the sale of any product.

---

Hexamine Granular

<https://www.hexion.com/en-US/product/hexamine-granular>

Generated: October 27, 2021

Issue Date:

Revision:

® and ™ Licensed trademarks of Hexion Inc.

The information provided herein was believed by Hexion Inc. ("Hexion") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Hexion are subject to Hexion's terms and conditions of sale. **HEXION MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY HEXION**, except that the product shall conform to Hexion's specifications. Nothing contained herein constitutes an offer for the sale of any product.